NEWS
2016

FROM BELGIUM WITH LOVE

WEVER & DUCRÉ
LIGHTING

LIFE IS TOO SHORT FOR BORING LIGHTING

WEVER & DUCRÉ

LIGHTING



FUNKY WRAP LOVE INSIDE

GOOD TIMES AHEAD

When a product is truly good, it doesn't need bells and whistles. Especially not to show it off. In this, we agree entirely with Bernd Steinhuber. Which is why we left the design of our Light + Building booth stand to the Austrian architect and designer, simply telling him: "You'll do fine." The result? A stand that is just like us: creative, unconventional, and a little crazy. Built spontaneously of scaffolding and two walls, a few comfortable pillows, and plenty of boxes. Because everyone who visits us should just have a good time. Which we really had. In this great mood we start into the new season and proudly present our novelties to you. From hip steel wire, to retro glas to chic porcelain, watch out for your new best friend. From Belgium with love.

Wenn ein Produkt wirklich gut ist, braucht es keinen Schnick-schnack. Erst recht nicht, um es zu präsentieren. Da sind wir mit Bernd Steinhuber ganz einer Meinung. Deshalb haben wir die Gestaltung unseres Light + Building Messestandes auch ganz dem österreichischen Architekten und Designer überlassen und ihm einfach nur gesagt: „Du machst das schon!". Was daraus geworden ist? Ein Stand, der genau so ist wie wir: Kreativ, unkonventionell und ein bisschen verrückt. Spontan zusammengestellt aus einem Baugerüst und zwei Wänden, ein paar bequemen Pölstern und jeder Menge Kisten. Schließlich soll jeder der zu uns kommt, ganz einfach eine gute Zeit haben. Und die hatten wir. Diese großartige Stimmung nehmen wir in die neue Saison mit und präsentieren Ihnen unsere Neuheiten. Von der hippen Drahtleuchte, über die retro Glasleuchte bis hin zur schicken Porzellanleuchte. Halten Sie Ausschau nach Ihrem neuen Liebling. From Belgium with love.

CONTENT

RINI
p. 7

CITY
p. 11

SNEAK
p. 13

BLAS
p. 17 / p. 37

SELO
p. 19

WETRO
p. 21

SHIEK
p. 23

WIRO GLOBE
p. 29

WIRO INDUSTRY
p. 31

WIRO DIAMOND
p. 33

LINUS
p. 39

STIPO
p. 41

SHOP | CAMERON | DEJAEGER INTERIEURARCHITECTEN ZWEVEGEM | BELGIUM







1.0 LED

LED 7/10W | 350-500mA | 18Vf
COB 3-step | excl. power supply
aluminium powder coated

0.16 kg | III | IP44 | ↔0,3↔ | G | 38°

76 | 60 | 4-30

	CODE
	154161W_
	154161B_

Light Colour Selection

	LUMEN	CRI	CODE
2700K	420-590	>90	3
3000K	470-640	>90	5
1800-2850K	320-440	>90	9

ALWAYS USE

power supply

	CODE
350mA | 10W	90213402
500mA | 10W	90214403
500mA | 15W dim	90224501

1.0 MR16

QR-CBC51 max. 35W | GU5.3
12V | excl. transformer
aluminium powder coated

0.10 kg | III | IP44 | ↔0,9↔ | G

76 | 70 | 4-30

	CODE
	154110W0
	154110B0

ALWAYS USE

transformer

	CODE
12V | 60W	90221902
12V | 105W	90221903

1.0 PAR16

PAR16 max. 35W | GU10
220-240VAC | 50/60Hz
aluminium powder coated

0.14 kg | IP44 | ↔0,9↔ | G

76 | 95 | 4-30

	CODE
	154120W0
	154120B0

OPTIONAL

PAR16 LED GU10 6W
phase-cut dim

	CODE
2700K	901228W2
3000K	901228W4
1800-2850K	901229S9

RINI SNEAK

CEILING RECESSED







1.0 LED

LED 7/10W | 350-500mA | 18Vf
COB 3-step | excl. power supply
aluminium powder coated

0.18 kg | III | IP44 | ↔0,3↔ | G | 38°

76 | 46 | 4-30

	CODE
	154261W_
	154261B_

Light Colour Selection

	LUMEN | CRI	CODE
2700K	420-590 | >90	3
3000K	470-640 | >90	5
1800-2850K	320-440 | >90	9

ALWAYS USE

power supply

	CODE
350mA | 10W	90213402
500mA | 10W	90214403
500mA | 15W dim	90224501

1.0 MR16

QR-CBC51 max. 35W | GU5.3
12V | excl. transformer
aluminium powder coated

0.12 kg | III | IP44 | ↔0,9↔ | G

76 | 55 | 4-30

	CODE
	154210W0
	154210B0

ALWAYS USE

transformer

	CODE
12V | 60W	90221902
12V | 105W	90221903

1.0 PAR16

PAR16 max. 35W | GU10
220-240VAC | 50/60Hz
aluminium powder coated

0.16 kg | IP44 | ↔0,9↔ | G

76 | 80 | 4-30

	CODE
	154220W0
	154220B0

OPTIONAL

PAR16 LED GU10 6W
phase-cut dim

	CODE
2700K	901228W2
3000K	901228W4
1800-2850K	901229S9

PRIVATE RESIDENCE | EVA CARLIER INTERIOR DESIGN IZEGEM | BELGIUM







1.6 HV

LED 8W | 220-240VAC | 50/60Hz
phase-cut dim
aluminium powder coated
opal PMMA cover

0.64 kg | III | IP44 | 0,3 | P | 38°

197 | 50 | 4-30

	CODE
	115184W_

Light Colour Selection

	LUMEN | CRI	CODE
2700K	600 | >80	2
3000K	600 | >80	4

2.6 HV

LED 12W | 220-240VAC | 50/60Hz
phase-cut dim
aluminium powder coated
opal PMMA cover

1.05 kg | III | IP44 | 0,3 | P | 38°

292 | 50 | 4-30

	CODE
	115284W_

Light Colour Selection

	LUMEN | CRI	CODE
2700K	1040 | >80	2
3000K	1040 | >80	4

3.5 HV

LED 21W | 220-240VAC | 50/60Hz
phase-cut dim
aluminium powder coated
opal PMMA cover

1.70 kg | III | IP44 | 0,3 | P | 38°

380 | 50 | 4-30

	CODE
	115384W_

Light Colour Selection

	LUMEN | CRI	CODE
2700K	1760 | >80	2
3000K	1760 | >80	4

SNEAK TRIM

CEILING RECESSED





1.0 LED

LED 7/10W | 350-500mA | 18Vf
COB 3-step | excl. power supply
aluminium powder coated

0.28 kg · IP20 · 0,3 · 74x78 · 35°/35° · 355° · 95 · 2-18

	CODE
	155351W_
	155351B_

Light Colour Selection

	LUMEN	CRI	CODE
2700K	420-590	>90	3
3000K	470-640	>90	5
1800-2850K	320-440	>90	9

ALWAYS USE

power supply

	CODE
350mA | 10W	90213402
500mA | 10W	90214403
500mA | 15W dim	90224501

2.0 LED

2xLED 7/10W | 350-500mA | 18Vf
COB 3-step | excl. power supply
aluminium powder coated

0.36 kg · IP20 · 0,3 · 74x148 · 35°/35° · 355° · 95 · 2-18

	CODE
	155451W_
	155451B_

Light Colour Selection

	LUMEN	CRI	CODE
2700K	2x420-590	>90	3
3000K	2x470-640	>90	5
1800-2850K	2x320-440	>90	9

ALWAYS USE

power supply

	CODE
350mA | 10W	90213402
500mA | 10W	90214403
500mA | 15W dim	90224501

SHOP | CAMERON | DEJAEGER INTERIEURARCHITECTEN ZWEVEGEM | BELGIUM

SNEAK TRIMLESS

CEILING RECESSED







1.0 LED

LED 7/10W | 350-500mA | 18Vf
COB 3-step | excl. power supply
aluminium powder coated

0.26 kg · IP20 · 0,3 · 86x86 · 35°/35° · 355° · 95 · 4-25

	CODE
	155151W_
	155151B_

Light Colour Selection

	LUMEN	CRI	CODE
2700K	420-590	>90	3
3000K	470-640	>90	5
1800-2850K	320-440	>90	9

ALWAYS USE

power supply

	CODE
350mA | 10W	90213402
500mA | 10W	90214403
500mA | 15W dim	90224501

2.0 LED

2xLED 7/10W | 350-500mA | 18Vf
COB 3-step | excl. power supply
aluminium powder coated

0.33 kg · IP20 · 0,3 · 86x156 · 35°/35° · 355° · 95 · 4-25

	CODE
	155251W_
	155251B_

Light Colour Selection

	LUMEN	CRI	CODE
2700K	2x420-590	>90	3
3000K	2x470-640	>90	5
1800-2850K	2x320-440	>90	9

ALWAYS USE

power supply

	CODE
350mA | 10W	90213402
500mA | 10W	90214403
500mA | 15W dim	90224501

PRIVATE RESIDENCE KNOKKE | BELGIUM

BLAS

CEILING SURFACE





1.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
aluminium powder coated

1kg IP44 0,3

3000K | >90 CRI | 580lm

CODE

156187W5

2.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
aluminium powder coated

1.3kg IP44 0,3

3000K | >90 CRI | 580lm

CODE

156287W5

VISUALISATION

SELO

CEILING SUSPENDED



1.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
porcelain

0.80 kg IP20

1800-2850K | >80 CRI | 400lm

	CODE
	232189W9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

multiple suspension on page 43



2.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
porcelain

0.96 kg IP20

1800-2850K | >80 CRI | 400lm

	CODE
	232289W9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

multiple suspension on page 43



3.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
porcelain

0.80 kg IP20

1800-2850K | >80 CRI | 400lm

	CODE
	232389W9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

multiple suspension on page 43

FAIR | LIGHT + BUILDING FRANKFURT | GERMANY

WETRO

CEILING SUSPENDED







1.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
artisanal hand-blown glass

0.36 kg | IP20 | 0,3

1800-2850K | >80 CRI | 400lm

	CODE
	233189P9
	233189B9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

multiple suspension on page 43

2.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
artisanal hand-blown glass

0.70 kg | IP20 | 0,3

1800-2850K | >80 CRI | 400lm

	CODE
	233289P9
	233289B9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

multiple suspension on page 43

3.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
artisanal hand-blown glass

1.50 kg | IP20 | 0,3

1800-2850K | >80 CRI | 400lm

	CODE
	233389P9
	233389B9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

multiple suspension on page 43

DESIGNED BY 3HDRAFT

DESIGNED BY 3HDRAFT

SHIEK

CEILING SUSPENDED





1.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
aluminum powder coated
lacquered

0.36 kg | IP20 | 0,3

1800-2850K | >80 CRI | 400lm

	CODE
	234189W9
	234189J9
	234189P9
	234189K9
	234189Z9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

multiple suspension on page 43

2.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
aluminum powder coated
lacquered

0.47 kg | IP20 | 0,3

1800-2850K | >80 CRI | 400lm

	CODE
	234289W9
	234289J9
	234289P9
	234289K9
	234289Z9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

multiple suspension on page 43

SHOWROOM | MÖBEL KARNER GÄNSERNDORF | AUSTRIA

SHIEK

CEILING SUSPENDED



3.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
aluminum powder coated
lacquered

0.51kg IP20

1800-2850K | >80 CRI | 400lm

	CODE
	234389W9
	234389J9
	234389P9
	234389K9
	234389Z9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

multiple suspension on page 43

DESIGNED BY 3HDRAFT

SHOWROOM | MÖBEL KARNER GÄNSERNDORF | AUSTRIA

SHIEK

CEILING SUSPENDED



4.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
aluminum powder coated
lacquered

0.59 kg IP20

1800-2850K | >80 CRI | 400lm

	CODE
	234489W9
	234489J9
	234489P9
	234489K9
	234489Z9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

cable ring for 3 or 4 lamps

	CODE
	90059121

5.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
aluminum powder coated
lacquered

0.69 kg IP20

1800-2850K | >80 CRI | 400lm

	CODE
	234589W9
	234589J9
	234589P9
	234589K9
	234589Z9

ALWAYS USE

single ceiling base

	CODE
	90052022
	90052021

cable ring for 3 or 4 lamps

	CODE
	90059121

DESIGNED BY 3HDRAFT

DESIGNED BY BERND STEINHUBER

WIRO GLOBE

CEILING SUSPENDED







1.0

E27 max. 60W
220-240VAC | 50/60Hz
varnished steel

6 kg IP20 ≤0,9

	CODE
	2281E0W0
	2281E0R0
	2281E0B0

OPTIONAL

QA60 LED E27 6W

	CODE
2200K | 400lm	9003E109
2700K | 550lm	9003E125

T32-300 carbon filament E27 15W

2200K | 50lm	9003E107

T30-300 LED E27 6W dim

2200K | 450lm	9003E130

2.0

E27 max. 60W
220-240VAC | 50/60Hz
varnished steel

5 kg IP20 ≤0,9

	CODE
	2282E0B0

OPTIONAL

QA60 LED E27 6W

	CODE
2200K | 400lm	9003E109
2700K | 550lm	9003E125

T32-300 carbon filament E27 15W

2200K | 50lm	9003E107

T30-300 LED E27 6W dim

2200K | 450lm	9003E130

3.0

E27 max. 60W
220-240VAC | 50/60Hz
varnished steel

3 kg IP20 ≤0,9

	CODE
	2283E0W0
	2283E0B0

OPTIONAL

QA60 LED E27 6W

	CODE
2200K | 400lm	9003E109
2700K | 550lm	9003E125

ST64 carbon filament E27 15W

2200K | 50lm	9003E105

ST64 LED E27 6W

2200K | 400lm	9003E110

VISUALISATION

WIRO INDUSTRY

CEILING SUSPENDED



1.0

E27 max. 60W
220-240VAC | 50/60Hz
varnished steel | lacquered

6 kg IP20 0,9

	CODE
	2301E0T0
	2301E0B0

OPTIONAL

T32-300 carbon filament E27 15W

	CODE
2200K | 50lm	9003E107

T32-180 carbon filament E27 15W

2200K | 50lm	9003E106

T30-300 LED E27 6W dim

2200K | 450lm	9003E130

T30-225 LED E27 6W dim

2200K | 450lm	9003E129



2.0

E27 max. 60W
220-240VAC | 50/60Hz
varnished steel | lacquered

9 kg IP20 0,9

	CODE
	2302E0O0
	2302E0B0

OPTIONAL

T32-300 carbon filament E27 15W

	CODE
2200K | 50lm	9003E107

T30-300 LED E27 6W dim

2200K | 450lm	9003E130

DESIGNED BY BERND STEINHUBER

DESIGNED BY BERND STEINHUBER

WIRO DIAMOND

CEILING SUSPENDED







1.0

E27 max. 60W
220-240VAC | 50/60Hz
varnished steel

6 kg IP20 §•0,9•)

	CODE
	2291E0P0
	2291E0B0

OPTIONAL

T32-300 carbon filament E27 15W

	CODE
2200K | 50lm	9003E107

T30-300 LED E27 6W dim

2200K | 450lm	9003E130

2.0

E27 max. 60W
220-240VAC | 50/60Hz
varnished steel

11 kg IP20 §•0,9•)

	CODE
	2292E0P0
	2292E0B0

OPTIONAL

T32-300 carbon filament E27 15W

	CODE
2200K | 50lm	9003E107

T30-300 LED E27 6W dim

2200K | 450lm	9003E130

3.0

E27 max. 60W
220-240VAC | 50/60Hz
varnished steel

17 kg IP20 §•0,9•)

	CODE
	2293E0P0
	2293E0B0

OPTIONAL

T32-300 carbon filament E27 15W

	CODE
2200K | 50lm	9003E107

T30-300 LED E27 6W dim

2200K | 450lm	9003E130

VISUALISATION

WIRO DIAMOND

CEILING SUSPENDED



4.0

E27 max. 60W
220-240VAC | 50/60Hz
varnished steel

14.5 kg IP20

	CODE
	2294E0P0
	2294E0B0

OPTIONAL

T32-300 carbon filament E27 15W

	CODE
2200K | 50lm	9003E107

T30-300 LED E27 6W dim

2200K | 450lm	9003E130

DESIGNED BY BERND STEINHUBER

UNIVERSITY OF TECHNOLOGY GRAZ | AUSTRIA

BLAS

EXTERIOR
CEILING SURFACE







1.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
aluminium powder coated

1kg IP65 IK 0,3 G

3000K | >80 CRI | 657lm

	CODE
	736187W4
	736187D4

2.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. PS | phase-cut dim
aluminium powder coated

1.3kg IP65 IK 0,3 G

3000K | >80 CRI | 657lm

	CODE
	736287W4
	736287D4

LINUS

EXTERIOR
FLOOR SURFACE



1.0

LED 8W | 220-240VAC | 50/60Hz
COB 2-step | incl. power supply
aluminium powder coated

0.95 kg IP65 0,3

3000K | >80 CRI | 320lm

	CODE
	726173D4
	726173Y4

ALWAYS USE

base 150

	CODE
	910024D0
	910024Y0

base 350

	910026D0
	910026Y0

base 550

	910028D0
	910028Y0

OPTIONAL

	CODE
ground spike	90013103
ground fixation	90013302



2.0

LED 8W | 220-240VAC | 50/60Hz
COB 2-step | incl. power supply
aluminium powder coated

0.99 kg IP65 0,3

3000K | >80 CRI | 300lm | opal glass

	CODE
	726273D4
	726273Y4

ALWAYS USE

base 150

	CODE
	910024D0
	910024Y0

base 350

	910026D0
	910026Y0

base 550

	910028D0
	910028Y0

OPTIONAL

	CODE
ground spike	90013103
ground fixation	90013302



3.0

LED 8W | 220-240VAC | 50/60Hz
COB 2-step | incl. power supply
aluminium powder coated

0.52 kg IP65 0,3

3000K | >80 CRI | 300lm

	CODE
	726373D4
	726373Y4

ALWAYS USE

base 150

	CODE
	910024D0
	910024Y0

base 350

	910026D0
	910026Y0

base 550

	910028D0
	910028Y0

OPTIONAL

	CODE
ground spike	90013103
ground fixation	90013302

PRIVATE RESIDENCE LAUWE | BELGIUM

STIPO

EXTERIOR
FLOOR SURFACE



1.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. power supply
aluminium powder coated

0.47 kg | IP65 | 0,3 | P | 135°

3000K | >80 CRI | 460lm | 2m cable

	CODE
	737157D5
	737157Y5

OPTIONAL

	CODE
ground spike	90013106



2.0

LED 8W | 220-240VAC | 50/60Hz
COB 3-step | incl. power supply
aluminium powder coated

0.46 kg | IP65 | 0,3 | P | 135°

3000K | >80 CRI | 460lm | 2m cable

	CODE
	737267D5
	737267Y5

OPTIONAL

	CODE
ground spike	90013106

VISUALISATION

MULTIPLE SUSPENSION

SELO | WETRO | SHIEK | BOX | HEXO | DOCUS | RAY





OPTIONAL

multiple suspension ceiling base
round for up to 8 lamps

	CODE
	90052005
	90052006

	CODE
connector set for 5 to 8 lamps	90059118

OPTIONAL

multiple suspension ceiling base long
600mm | 2 lamps

	CODE
	90052007
	90052008

900mm | 3 lamps

	CODE
	90052009
	90052010

1200mm | 4 lamps

	CODE
	90052011
	90052012

1500mm | 5 lamps

	CODE
	90052013
	90052014

COLOUR

UP YOUR LIFE

B

Black
texture



D

Dark grey
texture



J

White texture +
Gold



K

Black texture +
Gold

O

Green

P

Copper

T

Grey
texture



R

Black texture +
Rust

W

White
texture

Y

Brown
texture

Z

Black texture +
Copper

ICONS

ICON	ENGLISH	GERMAN	FLEMISH	FRENCH	SPANISH	ITALIAN	RUSSIAN
	Cutout Round	Ausschnitt rund	Ronde inbouwopening	Découpe ronde	Corte circular	Taglio tondo	Вырез круглый
	Cutout Square	Ausschnitt eckig	Rechthoekige inbouwopening	Découpe rectangulaire	Corte rectangular	Taglio quadro	Вырез квадратный
	Recessed Depth	Einbautiefe	Inbouwdiepte	Profondeur d'encastrement	Profundidad de empotramiento	Profonditá dell´incasso	Установочная глубина
	Low Recessed Depth	Geringe Einbautiefe	Lage inbouwdiepte	Encastré Profondeur faible	Reducida profundidad de empotramiento	Profonditá dell´incasso ridotta	Низкая глубина встраивания
	Thickness	Stärke	Dikte	Épaisseur	Espesor	Spessore	Толщина
	Turn Vertical	Vertikal drehbar	Verticaal richtbaar	Orientable vertical	Orientable en vertical	Orientabile in verticale	Наклонный по вертикали
	Turn Horizontal	Horizontal drehbar	Horizontaal richtbaar	Orientable horizontal	Orientable en horizontal	Orientabile in orizzontale	Поворотный по горизонтали
	Beam Angle	Abstrahlwinkel	Reflectorhoek	Faiseau	Ángulo de apertura	Angolo di apertura (del fascio)	Угол рассеивания
	Class 1 Fixture	Leuchte der Klasse 1	Toestel klasse 1	Appareil classe 1	Aparato de clase 1	Lampada classe 1	Класс защиты светильника 1
	Class 2 Fixture	Leuchte der Klasse 2	Toestel klasse 2	Appareil classe 2	Aparato de clase 2	Lampada classe 2	Класс защиты светильника 2
	Class 3 Fixture	Leuchte der Klasse 3	Toestel klasse 3	Appareil classe 3	Aparato de clase 3	Lampada classe 3	Класс защиты светильника 3
	Safety Distance	Sicherheitsabstand	Veiligheidsafstand	Distance de sécurité	Distancia de seguridad	Distanza di sicurezza	Безопасное расстояние
	Glowtest 960	Glühdrahtprüfung 960	Gloeidraadtest 960	Test au fil incandescent	Prueba de hilo 960	Resistenza alla temperatura 960°	Тестирование на нагрев 960
	IP Rated	Schutzklasse	IP rating	Indice de protection	Grado IP	Grado di protezione IP	Класс защиты IP
	Polycarbonate	Polykarbonat	Polycarbonaat	Polycarbonate, plexi	Policarbonato	Policarbonato	Поликарбонат
	Protection Glass	Sicherheitsglas	Beschermglas	Verre de protection	Vidrio de protección	Protetto con vetro	Защитное стекло
	Tempered Glass	Temperiertes Glas	Getemperd beschermglas	Verre de protection température sur verre	Cristal atemperado	Vetro temperato	Закалённое стекло
	Fixation Ceiling	Deckenmontage	Plafondbevestiging	Montage au plafond	Montaje en techo	Montaggio a soffitto	Потолочное крепление
	Fixation Wall	Wandmontage	Wandbevestiging	Montage au mur	Montaje en pared	Montaggio a parete	Настенное крепление
	Fixation Floor	Bodenmontage	Vloerbevestiging	Montage au sol	Montaje en suelo	Montaggio a pavimento	Напольное крепление
	Up/Down Light	aufwärts/abwärts strahlend	Verlichting up of down	Éclairage haut ou bas	Emisión superior/ inferior	Luce monoemissione sopra/sotto	Освещение вверх или вниз
	Side Light	seitlich abstrahlend	Verlichting lateraal	Éclairage laterale	Emisión lateral	Luce laterale	Освещение в сторону
	Up and Down Light	direkt und indirekt abstrahlend	Verlichting up en down	Éclairage haut et bas	Emisión superior e inferior	Luce monoemissione sopra e sotto	Освещение вверх и вниз
	Surround Light	allseitig abstrahlend	Sfeerverlichting	Éclairage multidirections	Emisión perimetral	Luce diffusa	Освещение вокруг
	CE/VDE/ENEC Certificate	CE Zertifikat	CE Certificaat	Certificat CE	Certificado CE	Certificato CE	Сертификат CE

CONTACT

HEAD OFFICE

WEVER & DUCRÉ BVBA
Kwadestraat 153 – Bus 2.1
8800 Roeselare
Belgium
Phone +32 51 622 650
Fax+32 51 622 695
office@weverducre.com
www.weverducre.com

WEVER & DUCRÉ AUSTRIA
showroom.at@weverducre.com
WEVER & DUCRÉ IBERIA
info.es@weverducre.com
WEVER & DUCRÉ ITALY
info.it@weverducre.com
WEVER & DUCRÉ NETHERLANDS
info.nl@weverducre.com
WEVER & DUCRÉ POLAND
info.pl@weverducre.com
WEVER & DUCRÉ RUSSIA
info.ru@weverducre.com
WEVER & DUCRÉ UK
info.uk@weverducre.com

REPRESENTATIVE OFFICES

WEVER & DUCRÉ ASIA PACIFIC LTD.
RM. 1413, Block A, Sea View Estate
2 Watson Road North Point
Hong Kong
Phone +852 2110 6924
Fax +852 3106 4096
office.hk@weverducre.com
office.cn@weverducre.com

WEVER & DUCRÉ AB
Mäster Samuelsgatan 20
101 39 Stockholn
Sweden
Phone +46 70 844 84 84
office.se@weverducre.com

WEVER & DUCRÉ DEUTSCHLAND GMBH
Schanzenstraße 36, Geb. 234B
51063 Cologne
Germany
Phone +49 221 13 06 496 0
Fax +49 221 13 06 496 9
office.de@weverducre.com

WEVER & DUCRÉ SHOWROOM FRANCE
10, Rue Pecquay
75004 Paris
France
Phone +33 140 29 98 82
office.fr@weverducre.com

WEVER & DUCRÉ SCHWEIZ GMBH
Rodteggstraße 22
6005 Luzern
Switzerland
Phone +41 79 443 74 55
Fax +41 44 245 80 99
office.ch@weverducre.com

WEVER & DUCRÉ INC.
133 West 19th Street, 9th Floor
New York, NY 10011
United States of America
Phone +1 212 343 8100 Ext. 1150
office.us@weverducre.us

1st edition, June 2016, ©Wever & Ducré® bvba.

All prices excluding VAT. They are non-binding recommended prices, lamps (bulbs) are not included. The prices and terms of payment stated in the order confirmation shall apply. To all prices and all extra expenses, the seller adds the legally applicable value added taxes. Should the seller's costs increase by the time of delivery, the prices can be recalculated on a pro rata basis. Prices, terms and dates of delivery stated shall apply net ex works. Information on availability as well as delivery terms and dates are provided as a point of reference only and are not binding. Alteration or modifications according to misprints and/or typing and printing errors remain reserved. Prices are valid till the publication of a new price list. We reserve the right to make changes in price, measurements and design. Any liability for misprints excluded. The details provided in this catalogue were correct at the time of publication. They do not constitute any kind of obligation on our part and are for information only. We shall not be held liable for any discrepancies between the illustrations or descriptions given and the actual product. We reserve the right to make alterations to our products at any time. The general terms and conditions of Wever & Ducré bvba shall apply to all purchases and orders. The relevant version of the general terms and conditions can be viewed at www.weverducre.com/en/Downloads.

COVER	KNARF, Miami (Wall Artist)
GRAPHIC DESIGN	Carina Erlach, Lisa Hauser
PRINT PRODUCTION	Rene Zavadilik
ILLUSTRATION	Lukas Hochenwarter
TEXT	Tanja Petschnig
GENERAL COORDINATION	Helena Bäuchler
PRINTING	Ueberreuter Print, Korneuburg, Austria
PHOTOGRAPHY	Diana Larrea (Cover), Kris Dekeijser (p. 6, 10, 14, 16, 40), Paul Ott (p. 2-3, 20), Christoph Steinbauer (p. 24, 26, 36)

THIS IS NOT THE END

Pay a visit to **weverducre.com**

weverducre.com