

2011-12

**NEW
UNDERWATER
LEDLIGHTS**
IP68




i-LÉD

Nuotek 3 LEDs

Faro calpestabili. Applicazione con controcassa. Realizzato in acciaio AISI 316.



Walk-over light with outercasing, suitable also for submerge applications. Case in AISI 316.



Nuotek NEW 3 LEDs

Faro calpestabili. Applicazione con controcassa. Realizzato in acciaio AISI 316.

Walk-over light with outercasing, suitable also for submerge applications. Case in AISI 316.



		Controcassa Outercasing		1 Watt		2 Watt	
		3 LED		3 LED		3 LED	
IP 67	84942	I	86909	86911			
				10° 30° 50° 70° 120°			

		Controcassa Outercasing		1 Watt		2 Watt	
		3 LED		3 LED		3 LED	
IP 68	84937	I	86910	86912			
				10° 30° 50° 70° 120°			



		Controcassa Outercasing		3 LED		Price
IP 68	84937 - IP68 84942	I	93635	310€		
				15° 30° 60° 120°		

Le varianti colore del led rimangono le stesse del catalogo generale I-LèD
The different colors of LEDs remain the same of the main I-LèD catalog

		Controcassa Outercasing		1 Watt RGB		2 Watt RGB	
		3 LED		3 LED		3 LED	
IP 67 RGB	84942	I	86913	86915			
				10° 30° 50° 70° 120°			

		Controcassa Outercasing		1 Watt		2 Watt	
		3 LED		3 LED		3 LED	
IP 68 RGB	84937	I	86914	87916			
				10° 30° 50° 70° 120°			



		Controcassa Outercasing		3 LED		Price
IP 68 RGB	84942 84937	I	345€			
				15° 30° 60° 120°		

IP
67



84942
Controcassa
Outercasing
Boitier
Contraçaja
Einbangehäuse

IP
68



84937
Controcassa
Outercasing
Boitier
Contraçaja
Einbangehäuse

! Le controcasse sono rimaste invariate
■ Outercasing are the same

Noxina 6-9 LEDs

Faro calpestabili. Applicazione con controcassa. Realizzato in acciaio AISI 316.




Walk-over light with outercasing, suitable also for submerge applications. Case in AISI 316.



Noxina NEW 6-9 LEDs

Faro calpestabili. Applicazione con controcassa. Realizzato in acciaio AISI 316.

Walk-over light with outercasing, suitable also for submerge applications. Case in AISI 316.



		1 Watt		2 Watt				2 Watt		
		6 LED		6 LED				6 LED		Price
IP 67	84943	I	86917	86919	IP 68	84943	I	93636	570€	



OPTICS
10° 30° 50° 70° 120°



Le varianti colore del led rimangono le stesse del catalogo generale I-LèD
The different colors of LEDs remain the same of the main I-LèD catalog

		1 Watt		2 Watt				2 Watt		
		9 LED		9 LED				9 LED		Price
IP 68	84938	I	86918	86920	IP 68	84938 - IP68	I	93638	670€	



OPTICS
10° 30° 50° 70° 120°



Le varianti colore del led rimangono le stesse del catalogo generale I-LèD
The different colors of LEDs remain the same of the main I-LèD catalog

		1 Watt RGB		2 Watt RGB				2 Watt RGB		
		6 LED		6 LED				6 LED		Price
IP 67 RGB	84943	I	86921	86923	IP 68 RGB	84943	I	93637	590€	



OPTICS
10° 30° 50° 70° 120°



		1 Watt RGB		2 Watt RGB				2 Watt RGB		
		9 LED		9 LED				9 LED		Price
IP 68 RGB	84938	I	86922	86924	IP 68 RGB	84938	I	93639	670€	



OPTICS
10° 30° 50° 70° 120°



IP
67



84943
Controcassa
Outercasing
Boitier
Contracaja
Einbangehäuse

IP
68




84938
Controcassa
Outercasing
Boitier
Contracaja
Einbangehäuse

! Le controcasse sono rimaste invariate
! Outercasing are the same

Accimar 12-18 LEDs

Faro calpestabili. Applicazione con controcassa. Realizzato in acciaio AISI 316.


Walk-over light with outercasing, suitable also for submerge applications. Case in AISI 316.



Accimar NEW 12-18 LEDs


Faro calpestabili. Applicazione con controcassa. Realizzato in acciaio AISI 316.

Walk-over light with outercasing, suitable also for submerge applications. Case in AISI 316.



Controcassa Outercasing		2 Watt	Controcassa Outercasing		2 Watt				
IP 67	84944	12 LED	IP 68	84944	12 LED	Price			
		86927			93640	990€			
350 mA	600 mA	67	10° 30° 50° 70° 120°	600 mA	68	15° 30° 60° 120°	5 mt		
Controcassa Outercasing		2 Watt	Controcassa Outercasing		2 Watt				
IP 68	84939	18 LED	IP 68	84939 - IP68	18 LED	Price			
		86928			93326	1100€			
350 mA	600 mA	68	10° 30° 50° 70° 120°	600 mA	68	15° 30° 60° 120°	5 mt		
Controcassa Outercasing		1 Watt RGB	2 Watt RGB	Controcassa Outercasing		2 Watt RGB			
IP 67 RGB	84944	12 LED	12 LED	IP 68 RGB	84944	12 LED	Price		
		86929	86931			93641	990€		
350 mA	600 mA	67	10° 30° 50° 70° 120°	600 mA	68	15° 30° 60° 120°	5 mt		
Controcassa Outercasing		2 Watt	2 Watt RGB	Controcassa Outercasing		2 Watt RGB			
IP 68 RGB	84939	18 LED	18 LED	IP 68 RGB	84939 - IP68	18 LED	Price		
		86932	86932			93498	1100€		
350 mA	600 mA	68	10° 30° 50° 70° 120°	600 mA	68	15° 30° 60° 120°	5 mt		

IP
67



84944
Controcassa
Outercasing
Boitier
Contracaja
Einbangehäuse

IP
68




84939
Controcassa
Outercasing
Boitier
Contracaja
Einbangehäuse

! Le controcasse sono rimaste invariate
Outercasing are the same




Nuantis 3 LEDs

Faro regolabile su staffe. Adatto anche per impieghi in immersione.
Realizzato in acciaio AISI 316.
Waterproof light adjustable on brackets.
Case in AISI 316.



Nuantis NEW 3 LEDs

Faro regolabile su staffe. Adatto anche per impieghi in immersione.
Realizzato in acciaio AISI 316.
Waterproof light adjustable on brackets.
Case in AISI 316.



1 Watt 2 Watt


3 LED 3 LED

IP 67



87023

87025



OPTICS
10° 30° 50° 70° 120°



IP 68



87024

87026



OPTICS
10° 30° 50° 70° 120°

1 Watt 2 Watt

3 LED 3 LED



IP 68



2 Watt

3 LED

Price

93645

280€



OPTICS
15° 30° 60° 120°

1 Watt RGB 2 Watt RGB

3 LED 3 LED

IP 67 RGB



87035

87037



OPTICS
10° 30° 50° 70° 120°



IP 68 RGB



87036

87038



OPTICS
10° 30° 50° 70° 120°

1 Watt 2 Watt

3 LED 3 LED



IP 68 RGB



2 Watt RGB

3 LED

Price

93511


315€



OPTICS
15° 30° 60° 120°


Adonic 6-9 LEDs

Faro regolabile su staffe. Adatto anche per impieghi in immersione.
Realizzato in acciaio AISI 316.
Waterproof light adjustable on brackets.
Case in AISI 316.



Adonic NEW 6-9 LEDs


Faro regolabile su staffe. Adatto anche per impieghi in immersione.
Realizzato in acciaio AISI 316.
Waterproof light adjustable on brackets.
Case in AISI 316.



Model	Power	LEDs	Code	Price
IP 67	1 Watt 2 Watt	6 LED 6 LED	87027 87029	
IP 68	2 Watt	6 LED	93646	570€
IP 68	1 Watt 2 Watt	9 LED 9 LED	87028 87030	
IP 68	2 Watt	9 LED	93648	670€
IP 67 RGB	1 Watt RGB 2 Watt RGB	6 LED 6 LED	87039 87041	
IP 68 RGB	2 Watt RGB	6 LED	93647	600€
IP 68 RGB	1 Watt RGB 2 Watt RGB	9 LED 9 LED	87040 87042	
IP 68 RGB	2 Watt RGB	9 LED	93649	670€


Ninfes 12-18 LEDs

Faro regolabile su staffe. Adatto anche per impieghi in immersione.
Realizzato in acciaio AISI 316.
Waterproof light adjustable on brackets.
Case in AISI 316.




Ninfes NEW 12-18 LEDs

Faro regolabile su staffe. Adatto anche per impieghi in immersione.
Realizzato in acciaio AISI 316.
Waterproof light adjustable on brackets.
Case in AISI 316.



IP 67	I	1 Watt	2 Watt	Price
		12 LED	12 LED	
		87031	87033	




OPTICS
10° 30° 50° 70° 120°

IP 68	I	2 Watt	Price
		12 LED	
		93650	930€




OPTICS
15° 30° 60°

IP 68	I	2 Watt	Price
		18 LED	
		87034	



OPTICS
10° 30° 50° 70° 120°

IP 68	I	2 Watt	Price
		18 LED	
		93342	1150€



OPTICS
15° 30° 60°

IP 67 RGB	I	1 Watt RGB	2 Watt RGB	Price
		12 LED	12 LED	
		87043	87045	



OPTICS
10° 30° 50° 70° 120°

IP 68 RGB	I	2 Watt RGB	Price
		12 LED	
		93651	930€



OPTICS
15° 30° 60°

IP 68 RGB	I	2 Watt	Price
		18 LED	
		87046	




OPTICS
10° 30° 50° 70° 120°

IP 68 RGB	I	2 Watt RGB	Price
		18 LED	
		93514	1150€



OPTICS
15° 30° 60°



Nuantis - Adonic - Ninfes



Nuantis

Adonic

Ninfes

Nuantis - Adonic - Ninfes

Foco regulable con base de fijación. Hecho en acero AISI 316.




Einstellbare Leuchte mit Befestigungsbasis. Hergestellt aus Stahl AISI 316.

Faro regolabile con base di fissaggio. Realizzato in acciaio AISI 316.

Adjustable light with fixing base. Case in AISI 316.

Spot réglable avec base de fixation. Réalisé en AISI 316

Nuantis	I	1 Watt	2 Watt
		3 LED	3 LED
		87075	87076
Adonic	I	1 Watt	2 Watt
		6 LED	6 LED
		87073	87074
Ninfes	I	1 Watt	2 Watt
		12 LED	12 LED
		87071	87072



Driver compreso
Driver included
Driver compris
Driver incluido
inklusive Driver



Colours	Opticals	code
C	10°	10
W	30°	30
N	50°	50
B	70°	70
Y	120°	12
R		
G		

Faro con corpo in acciaio Inox AISI 316 e flangia in tecnopolimero (PolyphenyleneOxide/Polystyrene). Lenti in metacrilato e vetro di diffusione extrachiaro temprato. Dotato di resinatura d'impianto e di cavo di uscita in Neoprene lungo 5 metri. Sviluppato esclusivamente per impieghi in immersione.



Light with AISI 316 stainless steel body and flange made of technopolymer (PolyphenyleneOxide / Polystyrene). Lenses in methacrylate and tempered extraclear glass diffuser. Equipped with resin plant and 5 meters long Neoprene cable. Developed exclusively for use underwater.

THETIS

3 LEDs - 6 LEDs - 9 LEDs - 12 LEDs - 18 LEDs



kg 1,213 Kg
Vol 0,011 dm³





Controcassa
Outercasing

3 LEDs 6W
600 mA

Price

84937 **Ix** 93331 **265€**

kg 2,816Kg
Vol 0,011 dm³





Controcassa
Outercasing

6 LEDs 12W
600 mA

Price

84938 **Ix** 93652 **535€**

kg 2,816Kg
Vol 0,011 dm³





Controcassa
Outercasing *

9 LEDs 18W
600 mA

Price

84938 **Ix** 93333 **618€**

kg 6,223 Kg
Vol 0,027 dm³





Controcassa
Outercasing

12 LEDs 24W
600 mA

Price

84939 **Ix** 93654 **880€**

kg 6,223 Kg
Vol 0,027 dm³



Controcassa
Outercasing

18 LEDs 36W
500 mA

Price

84939 **Ix** 93334 **1095€**

COLOURS	CODE
Cold White	C
Natural White	N
Warm White	W
Red	R
Green	G
Blue	B
Amber	Y

OPTICS	CODE
15°	15
30°	30
60°	60
120°	12

SUGGESTED ACCESSORIES



UNDERWATER



Faro con corpo in acciaio Inox AISI 316 e flangia in tecnopolimero (PolyphenyleneOxide/Polystyrene). Lenti in metacrilato e vetro di diffusione extrachiaro temprato. Dotato di resinatura d'impianto e di cavo di uscita in Neoprene lungo 5 metri. Sviluppato esclusivamente per impieghi in immersione.

Light with AISI 316 stainless steel body and flange made of technopolymer (PolyphenyleneOxide / Polystyrene). Lenses in methacrylate and tempered extraclear glass diffuser. Equipped with resin plant and 5 meters long Neoprene cable. Developed exclusively for use underwater.

THETIS

3 LEDs-6 LEDs-9 LEDs-12 LEDs-18 LEDs



kg 1,213 Kg Vol 0,011 dm ³				Controcassa Outercasing	3 LEDs 6W 600 mA	Price
				84937	Ix 93503	305€

kg 2,816Kg Vol 0,011 dm ³				Controcassa Outercasing	6 LEDs 12W 600 mA	Price
				84938	Ix 93653	565€

kg 2,816Kg Vol 0,011 dm ³				Controcassa Outercasing	* 9 LEDs 18W 600 mA	Price
				84938	Ix 93505	628€

kg 6,223 Kg Vol 0,027 dm ³				Controcassa Outercasing	* 12 LEDs 24W 600 mA	Price
				84939	Ix 93655	880€

kg 6,223 Kg Vol 0,027 dm ³				Controcassa Outercasing	18 LEDs 36W 500 mA	Price
				84939	Ix 93506	1095€

○ COLOURS	CODE
RGB	Z

▲ OPTICS	CODE
15°	15
30°	30
60°	60
120°	12

UNDERWATER

SUGGESTED ACCESSORIES

84937
Controcassa
Outercasing

IP
68

3 LEDs THETIS

84938
Controcassa
Outercasing

IP
68

6 - 9 LEDs THETIS

84939
Controcassa
Outercasing

IP
68

12 - 18 LEDs THETIS





Sede Operativa

Via della Fornace, 59 z.i.
I - 31023 Castelminio di Resana
Treviso - Italy

Sede Legale & Amministrativa

Via Cal Longa, 7 z.i.
I - 31028 Vazzola (TV)
Tel. + 39 0438 44 48 26
Fax + 39 0438 44 48 50

Ufficio Vendite Italia

Tel. + 39 0423 78 68
Fax. + 39 0423 78 69 00
sales@linealight.com

Export Sales Dept.

Tel. + 39 0423 78 68
Fax. + 39 0423 78 69 99
customer.service@linealight.com

Post-Vendita

claims@linealight.com
assistenza@linealight.com

Linea Light France

Z.A. Heiden Est, 12 Rue des Pays-bas
68310 Wittelsheim - France
Tel. + 33 389 755223
Fax + 33 389 755907
info@linealight.fr